



Anhui Tianfu New Material Co.,Ltd.

Fiberglass Woven Roving



Anhui Tianfu New Material Co.,Ltd.

🏠 Address: Room 1716, Lvdi Building, Qianshan Road, Zhengwu District, Hefei City, Anhui Province, China.

☎ Fax: +86 562 8701398

🌐 Website: www.tfcomposite.com

📞 Mobile/Whatsapp/Wechat/Skype:
+86 13696781450, +86 13856072325

✉ E-mail: sales@tfcomposite.com




We are committed to providing cost-effective products and services !

COMPANY PROFILE



About Us

Anhui Tianfu New Material Co.,Ltd. Located in Hefei, capital of Anhui Province, China. has involved in the fiberglass industry since 1998. Over the past years, we are committed to providing our customers with high quality and cost-effective products or services.

We are the agent of all the top glass fiber brands in China, including JUSHI, CPIC, CTG and so on. Additionally, we have our own factory to produce woven roving, Chopped Strand, and Chopped Strand Mats. The factory area exceeds 15000 sq.m. , Our customers all over Europe, America and Southeast Asia, Our high quality products and affordable prices have won customers' praise and long-term cooperation.



Products Show






COMPANY PROFILE

Company Qualification



Product certificate




Certification certificate




FIBERGLASS WOVEN ROVING




| Product Name | Certification | Product Code | Certificate No |
|--|---------------|--------------|-----------------|
| <p>Woven Rovings</p> <p>Woven Rovings are compatible with UP, VE, EP and PF resins. Woven Rovings are available with a width range of 50mm~3,000mm and a weight range of 260g/m²~1,600 g/m². Other specifications are also available on customer request.</p>  | DNV | EWR270 | TAK00001TH |
| | | EWR360 | |
| | | EWR580 | |
| | | EWR600 | |
| | | EWR800 | |
| | LR | EWR270 | LR2002408ALP |
| | | EWR360 | LR2002409ALP |
| | | EWR580 | LR2002410ALP |
| | | EWR600 | LR LR2002411ALP |
| | | EWR800 | LR202412ALP |


FIBERGLASS WOVEN ROVING




| Product Name | Structure type | Product Code | Product Features | Area Weight(g/m ²) | Typical Width(cm) | Resin Compatibility |
|---|----------------|--------------|------------------|--------------------------------|-------------------|---|
| <p>Woven Rovings</p> <p>Woven Rovings are compatible with UP, VE, EP and PF resins. Woven Rovings are a weight range of 260g/m²~1.600 g/m² and available with a width range of 50mm~3,000mm. Our products have both plain and twill weaves. Other specifications are also available on customer request.</p>  | Plain | EWR270 | 261 | 10, 16, 130 | UP, EP, VE | Fast wet-out, excellent mechanical properties, suitable for hand lay-up and compression molding |
| | | EWR300 | 300 | 10, 16, 127 | | |
| | | EWR400 | 400 | 40, 100, 127 | | |
| | | EWR600 | 600 | 100, 127 | | |
| | | EWR800 | 800 | 100, 127 | | |
| | | EWR1000 | 1000 | 100, 127, 250 | | |
| | | EWR1600 | 1,600 | 100, 127, 250 | | |
| | Plain | EWR270D | 261 | 10, 16, 130 | EP | Excellent mechanical properties, suitable for pipe joints |
| | | EWR360D | 364 | 10, 16, 130 | | |
| | | EWR580D | 576 | 100, 130 | | |
| | Twill | EWR500T3 | 528 | 100, 127 | UP, EP, VE | Soft fabric surface, suitable for fabricating complex parts |
| | | EWR100T3 | 1,008 | 100, 127 | | |



Anhui Tianfu New Material Co.,Ltd.

 Address: Room 1716, Lvdi Building, Qianshan Road, Zhengwu District, Hefei City, Anhui Province, China.

 Fax: +86 562 8701398

 Website: www.tfcomposite.com

 Tel/Whatsapp/Wechat/Skype: +86 13696781450

 E-mail: sales@tfcomposite.com